



MATERIAL SAFETY DATA SHEET

Prepared in accordance with ISO 11014-1/ ANSI standard Z400.1-2004

Revision Date: 6/28/2011 MSDS No.: ND2163

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: 420 Industrial Grade Instant PTFE Pipe Sealant

Synonyms: Pipe Sealant

Use of the Substance/Preparation: Sealant

Supplier:

ND Industries, Inc. 1893 Barrett Road Troy, Michigan 48084 Tel: (248) 288-0000 Fax: 248) 288-0022

Emergency Telephone Number: 24 hr. EMERGENCY CHEMTREC

1-800-424-9300

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW- Causes eye irritation. May cause skin irritation. May

WARNING: cause sensitization by skin contact. May cause

respiratory tract irritation.

Principle Routes of Exposure: Eyes and skin.

POTENTIAL HEALTH EFFECTS:

Eye Contact: Causes eye irritation.

Skin Contact: May cause skin irritation. May cause sensitization by skin

contact.

Ingestion: Not expected to be a route of entry under normal industrial

use conditions.

No data available.

Carcinogenic Effects: Components of this product have no known carcinogenic

effects. No data available on product itself.

Target Organ Effects:

Medical Conditions Aggravated by

Exposure: No data available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	EINECS Number	Weight %	EU Classification
Polyglycol dimethacrylate	Proprietary	n/a	35-45	None
Polymeric plasticizer	Proprietary	Proprietary	25-35	None
Cellulose Acetate Butyrate	9004-36-8	n/a	5-10	None
Methylated silica	67762-90-7	n/a	5-10	None
Polytetrafluoroethylene	9002-84-0	204-126-9	5-10	None

ND Industries, Inc. Page 2 of 5
Product Code: 420 Revision Date: 6/28/2011

Product Name: Pipe Sealant Product Code: 420 Revision Date: 6/28/2011

Saccharin	81-07-2	201-321-0	1-3	None
Cumene hydroperoxide	80-15-9	201-254-7	1-3	Xi: R36/37

4. FIRST AID MEASURES

Skin Contact: Wash affected area thoroughly with soap and water. Flush

with warm water. Remove contaminated clothing and launder before reuse. If irritation develops or persists seek medical

attention.

Eye Contact: Flush eyes with plenty of water for at least 15 minutes, lifting

both eyelids. Seek medical attention.

Inhalation: Remove to fresh air. If not breathing provide artificial

respiration. If symptoms persist or you feel unwell seek

medical attention.

Ingestion: Do not induce vomiting, unless directed by a medical

professional to do so. Seek immediate medical attention.

5. FIRE AND IGNITION INFORMATION

Flash Point >200°F

Explosion Limits in Air – Upper (%):

Explosion Limits in Air – Lower (%):

OSHA Flammability Classification:

Auto-ignition Temperature:

Not established.

Combustible.

Not established.

Extinguishing Media:

Special Protective Equipment for

Firefighters:

Fire fighters should wear full protective gear including self

contained breathing apparatus.

Dry chemical, CO₂, or foam.

Specific Hazards: Containers may rupture violently under fire temperatures.

Cool containers with water if exposed to fire conditions.

Hazardous Decomposition and/or

Combustion Products:

Carbon monoxide, carbon dioxide, hydrogen fluoride, and

carbonyl fluoride.

Risk of Dust Explosion: Not applicable.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Only trained personnel should clean a spill. Ventilate spill

area. Wear adequate personal protective equipment.

Methods for Cleaning Up: Contain and absorb spill with inert material. Collect material

into suitable container for disposal.

Environmental Precautions: Do not allow spilled material to enter drains, sewers, rivers or

other watercourses.

7. HANDLING AND STORAGE

Handling: Do not purge storage containers with inert gas. Avoid contact

with skin and eyes. Wear adequate personal protective equipment. Wash hands thoroughly after use and before

eating, drinking, smoking or using the lavatory.

Storage: Store in cool, dry, well ventilated location, away from direct

sunlight. Protect from freezing.

ND Industries, Inc. Page 3 of 5

Product Code: 420 Revision Date: 6/28/2011 **Product Name: Pipe Sealant**

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Exposure limits for those components with limits are stated below.

None.

ENGINEERING CONTROLS Use with adequate ventilation.

PERSONAL PROTECTIVE EQUIPMENT

If ventilation is not adequate to maintain exposures below **Respiratory Protection:**

recommended limits wear NIOSH approved respiratory

protection.

Hand Protection: Wear chemical impervious gloves. Wear chemical splash goggles. **Eye Protection:**

Skin and Body Protection: Wear protective clothing to avoid skin contact. Provide safety shower and eyewash stations. Other:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White paste. Odor: Mild odor. Hq Not applicable. Vapor Pressure: Not established. **Boiling Point/Range:** Not established. Melting Point/Range: Not established. Water Solubility: Insoluble **Specific Gravity:** ~1.15 **VOC Content:** 0.002 lb./gal. **Evaporation Rate:** Not established. Viscosity: Not established.

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: May occur upon depletion of inhibitor.

Mechanical Sensitivity (shock): Not applicable.

Conditions to Avoid: Avoid prolonged storage at temperatures above 100°F. Avoid

contact with metal powders, metal salts, and amines.

Hazardous Decomposition and/or

Toxic fumes may be generated at fire temperatures. Oxides

Combustion Products: of carbon.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Oral LD50: No data on product itself. Inhalation LC50: No data on product itself. Dermal LC50: No data on product itself. Eye Irritation: No data on product itself. **Skin Irritation:** No data on product itself. ND Industries, Inc.

Page 4 of 5

Product Name: Pipe Sealant Product Code: 420 Revision Date: 6/28/2011

CHRONIC TOXICITY

Carcinogenic Effects: No data on product itself.

Mutagenic Effects: No data on product itself.

Reproductive Toxicity: No data on product itself.

Sensitizing Effects: May cause sensitization by skin contact.

Synergistic Materials: No data on product itself.

12. ECOLOGICAL INFORMATION

Information given is based on data on the components and the toxicology of similar products.

Aquatic Toxicity: No data on product itself.

EVIRONMENTAL FATE

Mobility:No data on product itself.Bioaccumulation:No data on product itself.Persistence / Degradability:No data on product itself.

Distribution to Environmental

Compartments: No data on product itself.

13. DISPOSAL CONSIDERATIONS

Disclaimer: Information in this section pertains to the product as shipped in its intended composition as described in Section 2 of this MSDS. Contamination or processing may change waste characteristics and requirements. Regulations may also apply to empty containers, liners or rinsate. State/provincial and local regulations may be different from federal regulations.

RCRA Classification (40 CFR 261): Dispose of in accordance with all federal, state and local regulations.

14. TRANSPORTATION INFORMATION

DOT: Not regulated.

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on or exempt from the following inventories:

(yes) - European Inventory of Existing Commercial Substances (EINECS)

(yes) - United States Toxic Substances Control Act (TSCA) Inventory

U.S. Federal Regulations

TSCA 12(b) Export Notification: Not required.

Clean Air Act amendments of 1990 (CAA, Section 11240: CFR 82): Contains no listed hazardous air pollutants.

Clean Water Act (CWA, 40 CFR 116): Contains no listed priority pollutants.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA, 40 CFR 302): Contains cumene hydroperoxide; RQ=10 lbs.

ND Industries, Inc.

Page 5 of 5

Product Name: Pipe Sealant Product Code: 420 Revision Date: 6/28/2011

Superfund Amendments and Reauthorization Act, Title III (SARA):

SARA Section 302 (40 CFR 355) Extremely Hazardous Substances: Contains no listed EHS.

SARA Section 313 (40 CFR 372) Toxics Release Inventory: Contains cumene hydroperoxide, less than 3%, reportable under SARA section 313.

Pharmaceutical Information: No data available.

U.S. State Regulations

California Proposition 65: This product contains or may contain chemical(s) known to the state of California to cause cancer or other reproductive effects.

16. OTHER INFORMATION

HMIS Rating

HMIS Index: *- chronic, 0 - Minimal, 1 - slight, 2- moderate, 3 - serious, 4 - severe

Health: 2 Flammability: 1 Physical Hazard: 1

Additional Contacts:

Prepared by: ND Industries, Inc. – Safety, Health and Environmental Affaires

Revision Date: 6/28/2011 Previous Revision Date: 12/22/2008

Reasons for Revision: New 16 part format, add prop 65 statement.

Disclaimer:

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ™ Vibra-TITE is a trademark of ND Industries, Inc.